























# SERVO VALVE CERTIFICATIONS FOR HAZARDOUS ENVIRONMENTS



	EXPLOSION PROOF SERVO VALVES	INTRINSICALLY SAFE SERVO VALVES							
VALVE SERIES	-760N / -078N	-062K / -631K	-730K	-743K	-072K	-760K	x761K	x77xK	-078K
					-072K	-760K	x761K	x77xK	-078K
							x761K	x77xK	-078K
 ATEX	II 2 G Ex db IIA T3 Gb	II 1 G Ex ia IIC T6 or T5 Ga	II 1 G Ex ia IIB/IIC T4 Ga II 2 G Ex ia IIB/IIC T3 or T4 Gb II 3 G Ex nA IIC T3 or T4 Gc II 3 G Ex ec IIC T3 or T4 Gc						
	Ex db IIA T3 Gb	Ex ia IIC T6, T5 Ga	Ex ia IIB/IIC T4 Ga Ex ia IIB/IIC T3 or T4 Gb Ex nA IIC T3 or T4 Gc Ex ec IIC T3 or T4 Gc						
			Ex ia IIC/IIB T3 Class I, Div 2, Groups A,B,C,D T3						
	Class I, Division 1, Group D, T3C Class I, Division 2, Group B, C, D T3C								
			Class I,II,III Division 1, Group A,B,C,D,E,F,G T3 Class I Division 2, Group A,B,C,D T3A						
		Class I,II,III Division 1, Group A,B,C, D, E, F, G Class I, Division 2, Group A,B,C, D							
	Ex d IIA T3		Ex ia IIC/IIB T4						
	Ex d IIA T3							Ex ia IIB/IIC T3/T4 Ex nA IIC T3/T4	
	Ex d IIA T3 Gb								
			Ex ia IIB/IIC T4,T3 Ga / Gb Ex nA IIC T3 or T4 Gc						
	Ex d IIA T3 Gb							Ex ia IIB/IIC T4 Ga Ex ia IIB/IIC T3/T4 Gb Ex nA IIC T3/T4 Gc	

# CERTIFIED SERVO VALVES FOR YOUR APPLICATION NEEDS

## FLAMEPROOF SERVO VALVES

VALVE SERIES	D63xK	D63xK (DIV)	D66xK	D67xK / D94xK (DIV)	D633D
 ATEX	Ex II 2G Ex de IIB + H2 T* Gb	Ex II 2G Ex de IIC T5/T4/T3 Gb	Ex II 2G Ex db IIB + H2 T5 Gb Ta: -20°C to +60°C	Ex II 2G Ex de IIC T6/T5/T4 Gb	Ex II 2D Ex tb IIIC T155°C Dd Ex II 3D Ex tc IIIC T 155°C Dc
	Ex II 2G Ex de IIB + H2 T* Gb	Ex de IIC T5/T4/T3 Gb	Ex db IIB + H2 T5 Gb Ta: -20°C to +60°C	Ex de IIC T6/T5/T4 Gb	
					
					
		Class I, Zone 1, AEx de IIC T5...T3 Gb Ta: -40°C to +60°C		Class I, Zone 1, AEx de IIC T6...T4 Gb Ta: -40°C to +60°C	
					
	Ex de IIB + Hs T4 (D633K only)				
					
					
					
					

For more information, visit [www.moog.com](http://www.moog.com)

Moog is a registered trademark of Moog Inc. and its subsidiaries. All trademarks as indicated herein are the property of Moog Inc. and its subsidiaries. ©2021 Moog Inc. All rights reserved. All changes are reserved.