



SUBSEA LINEAR ACTUATOR


QUIET, RELIABLE, AND EFFICIENT



Moog's Naval Systems Business Unit is the premier supplier of custom designed, high performance motion control solutions for mission critical undersea applications. Moog actuation systems provide industry leading reliability and efficiency and are closely tailored to the needs of each customer. This data sheet describes an existing linear actuation product. Moog will customize this or other designs to suit your application.

KEY FEATURES

- Customizable to meet your specific needs
- High reliability
- High efficiency
- Low noise




SUBSEA LINEAR ACTUATOR

PERFORMANCE PARAMETERS

- Stroke = 4 inches
- Force = 250 lbs
- Speed = 2 inches/sec
- Input Power = 1.5 A at 110 VDC
- Pressure compensated for external environment up to 9000 psi
- Weight <1.4 kg; <3.09 lbs
- Length = 29.634 cm; 11.667 in
- Diameter = 4.749 cm; 1.870 in

DESIGN FEATURES

- Wet ball screw design
- No leak prone dynamic linear seals
- Low compensator volume required
- PBOF motor cavity
- Moog BLDC motor
- Resolver based position indication
- Several controller options available



MOOG
SPACE AND DEFENSE GROUP

Americas | Bob Hennig
+1.813.991.7992
rhennig@moog.com
www.moog.com/defense

Australia | Xavier Sebastiani
+61 (0)3 8545 2108
Info.australia@moog.com
www.moog.com.au

Europe
+49.7031.622.0
defenceurope@moog.com
www.moog.com/defence



linkedin.com/
company/moog-sdg



facebook.com/
MoogSDG.USA



twitter.com/
MoogSDG

Equipment described herein falls under the jurisdiction of the ITAR and requires US Government Authorization for export purposes. Diversion contrary to US law is prohibited.

© 2018 Moog, Inc. All rights reserved.
Product and company names listed are trademarks or trade names of their respective companies.

Form 500-1060 0418